



# Brew-Bev

A division of Neal H Knapp, LLC  
 www.brew-bevusa.com  
 A full service equipment supplier  
 to the brewing and beverage industry



## 2018 Hot Liquor Tanks; Cold Liquor Tanks Pricing Sheet (HS36TL)

Product	Vol. in BBL.	Type	Dimension FYI Diameter x Height x thickness(mm)	Overall Height (approx. up to CIP, 180mm outlet height)	Weight (KG)	Price
HLT	5	Dimple Jacketed & Insulated	900x800x3	1800mm	200	\$4,624
HLT	7	Dimple Jacketed & Insulated	1000x900x3	1850mm	250	\$5,372
HLT	10	Dimple Jacketed & Insulated	1100x1100x3	2150mm	310	\$5,916
HLT	14	Dimple Jacketed & Insulated	1250x1150x3	2050mm	400	\$6,256
HLT	15	Dimple Jacketed & Insulated	1250x1250x3	2250mm	410	\$6,392
HLT	20	Dimple Jacketed & Insulated	1350x1500x3	2300mm	500	\$7,548
HLT	30	Dimple Jacketed & Insulated	1600x1500x3	2950mm	670	\$8,908
HLT	40	Dimple Jacketed & Insulated	1700x1800x3	2900mm	825	\$10,200
HLT	60	Dimple Jacketed & Insulated	1950x2000x3	3150mm	1030	\$13,056
HLT	80	Dimple Jacketed & Insulated	2200x2000x3	3850mm	1290	\$16,184
HLT	90	Dimple Jacketed & Insulated	2200x2550x3	3900mm	1320	\$17,816
HLT	100	Dimple Jacketed & Insulated	2200x3000x3	4000mm	1370	\$19,584
HLT	120	Dimple Jacketed & Insulated	2200x3700x3	4750mm	1450	\$23,392
HLT	5	Electric heating & Insulated	900x800x3	1800mm	200	\$4,760
HLT	7	Electric heating & Insulated	1000x900x3	1850mm	250	\$5,644
HLT	10	Electric heating & Insulated	1100x1100x3	2150mm	310	\$6,392
HLT	14	Electric heating & Insulated	1250x1150x3	2050mm	400	\$6,868
HLT	15	Electric heating & Insulated	1250x1250x3	2250mm	410	\$7,004
HLT	20	Electric heating & Insulated	1350x1500x3	2300mm	500	\$8,908
HLT	5	Direct Fired & Insulated	900x800x3	2200mm	400	\$7,276
HLT	7	Direct Fired & Insulated	1000x900x3	2250mm	550	\$8,024
HLT	10	Direct Fired & Insulated	1100x1100x3	2550mm	600	\$8,704
HLT	14	Direct Fired & Insulated	1250x1150x3	2500mm	750	\$9,248
HLT	15	Direct Fired & Insulated	1250x1250x3	2750mm	770	\$9,384
HLT	20	Direct Fired & Insulated	1350x1500x3	2850mm	900	\$11,968

# Brew-Bev

Product	Vol. in BBL.	Type	Dimension FYI Diameter x Height x thickness(mm)	Overall Height (approx. up to CIP, 180mm outlet height)	Weight (KG)	Price
CLT	5	Dimple Jacketed & Insulated	900x800x3	1800mm	205	<b>\$4,964</b>
CLT	7	Dimple Jacketed & Insulated	1000x900x3	1850mm	255	<b>\$5,712</b>
CLT	10	Dimple Jacketed & Insulated	1100x1100x3	2150mm	320	<b>\$6,120</b>
CLT	14	Dimple Jacketed & Insulated	1250x1150x3	2050mm	415	<b>\$6,460</b>
CLT	15	Dimple Jacketed & Insulated	1250x1250x3	2250mm	425	<b>\$6,596</b>
CLT	20	Dimple Jacketed & Insulated	1350x1500x3	2300mm	520	<b>\$7,684</b>
CLT	30	Dimple Jacketed & Insulated	1600x1500x3	2950mm	690	<b>\$9,112</b>
CLT	40	Dimple Jacketed & Insulated	1700x1800x3	2900mm	850	<b>\$10,472</b>
CLT	60	Dimple Jacketed & Insulated	1950x2000x3	3150mm	1060	<b>\$13,328</b>
CLT	80	Dimple Jacketed & Insulated	2200x2000x3	3850mm	1350	<b>\$16,456</b>
CLT	90	Dimple Jacketed & Insulated	2200x2550x3	3900mm	1380	<b>\$18,156</b>
CLT	100	Dimple Jacketed & Insulated	2200x3000x3	4000mm	1430	<b>\$19,992</b>
CLT	120	Dimple Jacketed & Insulated	2200x3700x3	4750mm	1520	<b>\$23,936</b>

## Terms & Conditions:

- **Freight is ex works manufacturer's plant in China (HS36TL)**
- Estimated completion: 60 working days after date of approval of final drawings.
- Delivery: Approximately 45 days after completion of equipment.
- Terms of Payments:
- 50% with signed order; 50% to be paid before shipping on orders over \$50,000.
- 100% with signed order on orders under \$50,000.
- The customer is responsible for unloading, placing the equipment in the plant and running all utilities to the equipment.

# Brew-Bev

## Hot Liquor Tank



### Specifications:

- Made of Stainless Steel 304; with Shallow Cone Top & Bottom;
- Dimple Jacket for steam heat; fire box heated for Direct Fire or Electric heated
- Inner Layer: 3mm, Jacket, Cladding: 2mm, Insulation: 50mm
- 400mm Round Manway at top;
- Glass Level tube with Stainless steel cover at side
- Accessories: CIP cleaning Ball with tube, Temp. Sensor (RTD) in Thermowell, Bottom Outlet with butterfly valve, Pipe legs with adjustable feet

# Brew-Bev

## Cold Liquor Tank



### Specifications:

- Made of SS304, Shallow cone top & bottom
- Polyurethane Insulation
- Inner Layer: 3mm, Cladding: 2mm
- 400mm round manway at top
- Glass level tube with Stainless Steel cover on the side
- Accessories: CIP cleaning ball with tube, Temperature Sensor (RTD) in Thermowell, Bottom outlet with butterfly valve, Pipe legs with adjustable feet.

1020 NE Pine Island Road, Suite 205, Cape Coral. FL  
33909  
Phone: (239) 458-4776, Fax: (239) 458-5943