



Brew-Bev

A division of Neal H Knapp, LLC
 www.brew-bevusa.com
 A full service equipment supplier
 to the brewing and beverage industry



2018 Fermenter & Bright Tank Pricing Sheet (HS36TL)

Product	BBL	Equipment	Diameter x Height x Thickness	Weight (KG)	Price
Fermenter	2	Jacketed & Insulated	700mm x 1683mm x 3mm/2'4" x 5'6" x 0.11"	140	\$3,795
Fermenter	3	Jacketed & Insulated	750mm x 1936mm x 3mm/2'6" x 6'4" x 0.11"	180	\$4,217
Fermenter	4	Jacketed & Insulated	800mm x 1989mm x 3mm/2'8" x 6'6" x 0.11"	215	\$4,706
Fermenter	5	Jacketed & Insulated	900mm x 2195mm x 3mm/2'11" x 7'2" x 0.11"	250	\$5,128
Fermenter	6	Jacketed & Insulated	1000mm x 2226mm x 3mm/3'3" x 7'7" x 0.11"	280	\$5,550
Fermenter	7	Jacketed & Insulated	1000mm x 2401mm x 3mm/3'3" x 7'11" x 0.11"	310	\$5,964
Fermenter	8	Jacketed & Insulated	1050mm x 2504mm x 3mm/3'5" x 8'3" x 0.11"	335	\$6,386
Fermenter	10	Jacketed & Insulated	1100mm x 2707mm x 3mm/3'7" x 8'11" x 0.11"	395	\$6,876
Fermenter	15	Jacketed & Insulated	1250mm x 3016mm x 3mm/4' 1" x 9'11" x 0.11"	490	\$8,208
Fermenter	16	Jacketed & Insulated	1350mm x 3116mm x 3mm/4'5" x 10'3" x 0.11"	505	\$8,487
Fermenter	20	Jacketed & Insulated	1500mm x 3372mm x 3mm/4'11" x 11'1" x 0.11"	645	\$9,670
Fermenter	25	Jacketed & Insulated	1500mm x 3531mm x 3mm/4'11" x 11'7" x 0.11"	695	\$11,078
Fermenter	30	Jacketed & Insulated	1600mm x 3637mm x 3mm/5'3" x 11'11" x 0.11"	750	\$12,336
Fermenter	35	Jacketed & Insulated	1700mm x 3743mm x 3mm/5'7" x 12'3" x 0.11"	810	\$12,968
Fermenter	36	Jacketed & Insulated	1700mm x 4120 mm x 3mm/5'7" x 13'6" x 0.11"	865	\$13,249
Fermenter	40	Jacketed & Insulated	1800mm x 4149mm x 3mm/5'11" x 13'7" x 0.11"	900	\$13,530
Fermenter	50	Jacketed & Insulated	1800mm x 4508mm x 3mm/5'11" x 14'9" x 0.11"	1050	\$14,791
Fermenter	60	Jacketed & Insulated	1950mm x 4561mm x 3mm/6'5" x 15'x 0.11"	1270	\$16,192
Fermenter	70	Jacketed & Insulated	2000mm x 5173mm x 3mm/6'7" x 17' x 0.11"	1315	\$18,007
Fermenter	80	Jacketed & Insulated	2200mm x 4773mm x 3mm/7'3" x 15'8" x 0.11"	1360	\$20,394
Fermenter	90	Jacketed & Insulated	2550mm x 5323mm x 3mm/8'5" x 17'6" x 0.11"	1525	\$21,795
Fermenter	100	Jacketed & Insulated	3000mm x 5773mm x 3mm/9'10" x 18'11" x 0.11"	1725	\$23,896
Fermenter	150	Jacketed & Insulated	2300mm x 7455mm x 3mm/7'7" x 24'6" x 0.11"	2390	\$27,604
Fermenter	200	Jacketed & Insulated	2300mm x 9775mm x 3mm/7'6" x 32'1" x 0.11"	3360	\$39,630
Fermenter	2	Single Shell	700mm x 1683mm x 3mm/2'4" x 5'6" x 0.11"	80	\$2,816
Fermenter	3	Single Shell	750mm x 1936mm x 3mm/2'6" x 6'4" x 0.11"	90	\$3,024
Fermenter	4	Single Shell	850mm x 1989mm x 3mm/2'8" x 6'6" x 0.11"	115	\$3,306
Fermenter	5	Single Shell	900mm x 2195mm x 3mm/2'11" x 7'2" x 0.11"	130	\$3,584
Fermenter	6	Single Shell	1000mm x 2226mm x 3mm/3'3" x 7'7" x 0.11"	150	\$3,863
Fermenter	7	Single Shell	1000mm x 2401mm x 3mm/3'3" x 7'11" x 0.11"	165	\$4,145
Fermenter	8	Single Shell	1050mm x 2504mm x 3mm/3'5" x 8'3" x 0.11"	170	\$4,421
Fermenter	10	Single Shell	1100mm x 2707mm x 3mm/3'7" x 8'11" x 0.11"	195	\$4,706
Fermenter	15	Single Shell	1250mm x 3016mm x 3mm/4'1" x 9'11" x 0.11"	245	\$5,264

**All tanks come with a 5-year warranty on the stainless steel and welds,
 the longest warranty in the business**

1020 NE Pine Island Road, Suite 205, Cape Coral. FL 33909

Phone: (239) 458-4776, Fax: (239) 458-5943

Sales@brew-bevusa.com www.brew-bevusa.com

Brew-Bev

Product	BBL	Equipment	Diameter x Height x Thickness	Weight (KG)	Price
Bright Tank	2	Jacketed & Insulated	650mm x 1452mm x 3mm/2'2" x 4'9" x 0.11"	125	\$3,727
Bright Tank	3	Jacketed & Insulated	800mm x 1621mm x 3mm/2'8" x 5'4" x 0.11"	155	\$4,074
Bright Tank	4	Jacketed & Insulated	800mm x 1660mm x 3mm/2'8" x 5'5" x 0.11"	180	\$4,570
Bright Tank	5	Jacketed & Insulated	1000mm x 1860mm x 3/3'3" x 6'1" x 0.11"	210	\$4,985
Bright Tank	6	Jacketed & Insulated	950mm x 1793mm x 3mm/3'2" x 5'10" x 0.11"	240	\$5,407
Bright Tank	7	Jacketed & Insulated	1050mm x 1968mm x 3mm/3'5" x 6'5" x 0.11"	260	\$5,686
Bright Tank	8	Jacketed & Insulated	1050mm x 1988mm x 3mm/3'5" x 6'6" x 0.11"	280	\$6,243
Bright Tank	10	Jacketed & Insulated	1350mm x 2307mm x 3mm/4'5" x 7'7" x 0.11"	325	\$6,665
Bright Tank	15	Jacketed & Insulated	1400mm x 2415mm x 3mm/4'7" x 7'11" x 0.11"	430	\$7,998
Bright Tank	16	Jacketed & Insulated	1500mm x 2515mm x 3mm/4'11" x 8'3" x 0.11"	450	\$8,347
Bright Tank	20	Jacketed & Insulated	1450mm x 2504mm x 3mm/4'9" x 8'3" x 0.11"	510	\$9,398
Bright Tank	25	Jacketed & Insulated	1500mm x 2620mm x 3mm/4'11" x 8'7" x 0.11"	595	\$10,764
Bright Tank	30	Jacketed & Insulated	2000mm x 3112mm x 3mm/6'7" x 10'3" x 0.11"	690	\$12,129
Bright Tank	35	Jacketed & Insulated	2000mm x 3150mm x 3mm/6'7" x 10'4" x 0.11"	780	\$12,690
Bright Tank	36	Jacketed & Insulated	2050mm x 3200mm x 3mm/6'9" x 10'6" x 0.11"	800	\$12,830
Bright Tank	40	Jacketed & Insulated	2150mm x 3150mm x 3mm/7'1" x 10'4" x 0.11"	845	\$13,264
Bright Tank	50	Jacketed & Insulated	2200mm x 3429mm x 3mm/7'4" x 11'3" x 0.11"	910	\$14,498
Bright Tank	60	Jacketed & Insulated	2000mm x 3325mm x 3mm/6'7" x 10'11" x 0.11"	1075	\$15,913
Bright Tank	70	Jacketed & Insulated	2350mm x 3675mm x 3mm/7'9" x 12'1" x 0.11"	1185	\$17,592
Bright Tank	80	Jacketed & Insulated	2750mm x 4075mm x 3mm/9' x 13'5" x 0.11"	1335	\$19,694
Bright Tank	90	Jacketed & Insulated	2800mm x 4164mm x 3mm/9'2" x 13'8" x 0.11"	1425	\$21,094
Bright Tank	100	Jacketed & Insulated	2800mm x 4203mm x 3/9'3" x 13'9" x 0.11"	1507	\$23,196
Bright Tank	2	Single Shell	650mm x 1452mm x 3mm/2'2" x 4'9" x 0.11"	70	\$2,673
Bright Tank	3	Single Shell	800mm x 1621mm x 3mm/2'8" x 5'4" x 0.11"	85	\$2,884
Bright Tank	4	Single Shell	800mm x 1660mm x 3mm/2'8" x 5'5" x 0.11"	100	\$3,164
Bright Tank	5	Single Shell	1000mm x 1860mm x 3/3'3" x 6'1" x 0.11"	112	\$3,444
Bright Tank	6	Single Shell	950mm x 1793mm x 3mm/3'2" x 5'10" x 0.11"	120	\$3,724
Bright Tank	7	Single Shell	1050mm x 1968mm x 3mm/3'5" x 6'5" x 0.11"	138	\$4,005
Bright Tank	8	Single Shell	1050mm x 1988mm x 3mm/3'5" x 6'6" x 0.11"	150	\$4,285
Bright Tank	10	Single Shell	1350mm x 2307mm x 3mm/4'5" x 7'7" x 0.11"	183	\$4,565
Bright Tank	15	Single Shell	1400mm x 2415mm x 3mm/4'7" x 7'11" x 0.11"	220	\$5,128

**All tanks come with a 5-year warranty on the stainless steel and welds,
the longest warranty in the business**

Terms & Conditions:

- **Freight is ex works manufacturer's plant in China (HS36TL)**
- Estimated completion: 60 working days after date of approval of final drawings.
- Delivery: Approximately 45 days after completion of equipment.
- Terms of Payments:
- 50% with signed order; 50% to be paid before shipping on orders over \$50,000.
- 100% with signed order on orders under \$50,000.
- The customer is responsible for unloading, placing the equipment in the plant and running all utilities to the equipment.


1020 NE Pine Island Road, Suite 205, Cape Coral. FL

33909

Phone: (239) 458-4776, Fax: (239) 458-5943

Brew-Bev

Beer Fermenter (Jacketed & Insulated)




Specifications:

- * Dish Top cover & 60 ° cone Bottom
- * Dimple Plate jacket for glycol cooling;
- * PU (Polyurethane) Insulation;
- * Inner Layer:3mm, Jacket: 2mm; Cladding: 2mm;
- * 50mm Insulation
- * With 530x420mm Oval shadowless Manway at side;
- * 4/6" Hop Inlet on top;
- * Pipe legs with adjustable feet;
- * Standard Fittings:
- * Interior surface to be 2B finish or Mirror Finished;
- * Exterior surface to be #4 finished;

Accessories: 1. CIP Spraying ball with downtube & butterfly valve; 2. Temperature sensor in thermowell; 3. Sample valve; 4. Racking arm with butterfly valve; 5. Bottom outlet with butterfly valve; 6. Spunding valve at the end of CIP pipe; 7. PRV on top (release pressure over 1 bar).

Brew-Bev

Bright Beer Tank (Jacketed & Insulated)



Specifications:

- * Dish Top & Bottom Covers
- * Dimple Plate jacket for glycol cooling;
- * PU (Polyurethane) Insulation;
- * Inner Layer:3mm, Jacket: 2mm; Cladding: 2mm;
- * 50mm Insulation
- * With 530x420mm Oval shadowless Manway at side;
- * Pipe legs with adjustable feet;
- * Standard Fittings;
- * Interior surface to be 2B finish or Mirror Finished;
- * Exterior surface to be #4 finished;

Accessories: 1. CIP Spraying ball with downtube & butterfly valve; 2. Temperature sensor in thermowell; 3. Sample valve; 4. Carbonation Stone; 5. Bottom outlet with butterfly valve; 6. Spunding valve at the end of CIP pipe; 7. PRV on top (release pressure over 1 bar).